





"KENGURU PRO" LTD

Address: Lauteres street 4, Riga, Latvia, LV-1002 VAT Reg. No. 40103750152 Bank: A/S Luminor bank, SWIFT: RIKOLV2X, Bank Account: LV65RIKO0002930161161 e-mail: info@kengurupro.eu www.kengurupro.eu

KENGURU Panna football



The structure consists of eight vertical columns 1600 mm in height and eight sections with vertical crossbars. Height of each section is 1500 mm, length - 2381 mm. The structure is secured together using siluminium clamps.

Installation instructions:

1667

Ø108

Ø108

- Prepare the construction pit with a drilling machine or other devices.
- Before pouring the concrete all structures elements must be leveled and fixed.
- Ready-made C25 concrete should be used.
- Approximately 0,15 m³ concrete is needed for each spot foundation.

The size of the hole for the foundation is depending on the consistency of the ground. The dimensions mentioned above are applicable for normal conditions with firm ground. If the ground is extremely soft, a much bigger foundation is needed. Use only appropriate material and follow the installation instructions closely!!!

Technical information		
width:	6167 mm	
height:	1650 mm	
lenght:	6625 mm	
largest part:	2381 mm	
weight:	900,0 kg	
floor space required	9367 x 9367 mm	
pipe measurements:	diameter:	wall thickness:
	108 mm	3,2 mm
	42 mm	3,2 mm
	34 mm	3,2 mm
metal parts:	steel, galvanized, powder coated RAL 7016 (anthracite grey)	
metal clamps:	siluminium, powder coated RAL 5018 (turquise blue)	
bolts for metal clamps	stainless steel Pin Hex Button head security screws M10	
max. free fall height	< 1578 mm	